


Accident hurt's, Safety does'nt



**“Importers: UL / FM Approved Sprinkler / Flexible Drop
& many other types of Equipment”**



PRIYANKA

Fire Protection

IS : 5290



HYDRANT VALVE

"HEADED LANDING VALVE" IS : 5290

Material	Gun metal & Stainless Steel
Size	36 mm, 52 mm, 38 mm dia 63 Female Single outlet type- "A" ISI 52 Female Single outlet type- "A" 38 Female Single outlet type- "A"
Performance	Hydraulic Test : 21 Kgf/cm ²
Test	Water Test : water tightness 14 kgf/cm ²
Approval	ISI Market from Bureau of Indian Standards. (63mm)

IS : 903



BRANCH PIPE / NOZZLES

SHORT BRANCH PIPE NOZZLE IS : 903

Material	Gun metal Grade LTB-2, Stainless Steel & Aluminum
Size	63 mm, 38 mm dia 12 mm to 20 mm dia for ISI marked
Performance	Hydraulic Test : 21 Kgf/cm ²
Approval	ISI Market from Bureau of Indian Standards. (63mm)

IS : 8423 / 636



FIRE HOSE

FIRE HOSE (C.P / RRL) IS 8423 / 636

Material	Canvas/Reinforced Rubber
Size	15 Mtr, 22.5 Mtr, 30 Mtr
Approval	IS 8423 / IS 636

IS : 903



Couplings and Adaptors

FIRE HOSE DELIVERY COUPLING IS :903

Material	Gun metal Grade LTB-2 , Stainless Steel & Aluminum
Size	63 mm, 52 mm, 38 mm dia
Performance	Hydraulic Test : 21 Kgf/cm ²
Approval	ISI Market from Bureau of Indian Standards. (63mm)

IS : 884



HOSE REEL DRUM

FIRST AID FIRE SWINGING HOSE REEL WITH NOZZLE

Type "A"	Swinging (180° wall mounting)
Nozzle	IS : 8090-1976
Hose Reel tubing	Hydraulic Rubber Hose IS : 444 -1980 as per IS : 884/85.
Approval	ISI Marked from Bureau of Indian Standards



HOSE BOX

HOSE BOX (SINGLE AND DOUBLE DOOR)

Available in MS & ABS Body. with Accessories
All Sizes available according to the requirement.



SPRINKLERS

PENDENT TYPE SPRINKLER

Temperature Rating	: 155°f/68°C
Glass Bulb Colour	: Red
Thread Size	: NPT/2" or R1/2"
Max. Service Pressure	: 175psi
Other Sprinklers Type also available.	

Extinguisher's



ABC Dry Powder



**Water Type
(Gas Cartridge)**



DCP Dry Powder



Carbon Dioxide



**Mechanical Foam
(AFFF)**



Division:

“Importers: UL / FM Approved Sprinkler / Flexible Drop and many other types of equipment”

Annual Maintenance: We take Service Contract



PRIYANKA FIRE PROTECTION INDUSTRIES

STOCKIST : HYDRANT SYSTEM, EXTINGUISHER, FIRE ALARM & SAFETY EQUIPMENTS

DISTRIBUTOR : GAE = ALUMINIUM EXTRUSIONS

TEL : +91-22-32647722 FAX : +91-22-26397870, MOBILE : 09323577522, 09619610443

E-mails : priyankafireprotection@gmail.com, vinayppr@rediffmail.com

SALES OFF.: 43 & 44, TOWER-1, LINK GARDEN, OFF LINK ROAD.,
LOKHANDWALA, ANDHERI (W) MUMBAI - 400 053. INDIA.